
Dog n' Play Park Climb Platform, Punched Steel

DOG09-PP-00-000




Description

Our Dog n' Play Climbing Platform is a perfect addition to any agility course, public dog park, RV campground, or community center. The frame is made of 3" round galvanized tubing with a powder-coated finish that will last years of rough play and harsh weather. The platform is 1/2" hole punched steel that is coated in a paw protective finish ensuring pups can play all day long! Little bone bars along the surface provide extra grip support for dogs running across. Our standard colors are light blue and yellow but we offer a selection of other colors if you desire something more unique. Don't forget our furry friends who like to play, add our dog park products to your next order.

- Paw Protective Coating
- Punched Steel Construction
- Dimensions: 162"L x 29"W x 55"H
- · Weight: 366 lbs
- ** Dog N Play Dog Park products come in light blue and yellow if color not specified.

Dog n' Play Park Climb Platform, Punched Steel

DOG09-PP-00-000



Dog Climb Deck Material: Outer frame is made from 3/4" x 2" rolled form angle iron.

Punched Steel models- Inside material is 12 gauge, 1/2" punched Steel. Bracing is 1-1/2" Solid Steel flat bar. All MIG welded.

Dog Climb Frames: Frames are made from 4" square pre-galvanized steel tubing.

Frame Coating: High Durability Architectural Grade electrostatic applied Powder Coat.

Hardware: All hardware is Xylan coating black hardware for extra protection and strength

Dog n' Play Park Climb Platform, **Punched Steel**

Assembly Instructions

- 1. Attached Small frames to each deck using hardware provided (Hand Tighten at this time)
- 2. Lay each Deck on it's side and connect the decks together by bolting them to the long frame in the middle. (Hand Tighten at this time)
- 3. Attached Dong Bone Cutout to each Deck
- 4. Set Frame in Concrete Approx. 18". (suggested footing hole 24" x 24" x 24")
- Level and Adjust, and tighten each bolt.

Installation Safety:

Please Follow Installation Instructions provided by Manufacturer

It is recommended that Product is installer by an experienced installer

Product should be inspected at the time of Delivery, do not install and damaged on defective parts or products.

All Hardware for proper assembly (not installation) is provided. Use hardware that is included with this product.

Product Maintenance:

Maintence inspection should be performed at a minium of once a year.

Cleaning, when neccessary can be performed with warm water and most house hold cleaners, aviod any harsh chemicals such as paint remover and acetone. Contact Manufacture before cleaning to dertermine if cleaning product is OK for use.

Any surface rust that may occur should be removed and repainted. Contact Manufacture for touch up paint or any other recommeded paints.

Contact Manufacture for instructions on removing vandalism such as spray paint.

In the case that the MyTCoat coating is damaged, contact Manufacture for instructions for repair.

Bolts and nuts should be check on a regular basis to maintain proper tightness.

Parts, Hardware, and Suggested Tools

Unit Common Description	Units Per Model
Dog Climb Deck	2
Short Inground Frame	2
Long Inground Frame	1
Dog Bone Cutout	1
5/16-18 x 1 1/2" tap bolt w/black xylan	6
5/16-18 nylock nut w/black xylan	6
5/16 uss flat washer w/black ox	12
#vc300-8 5/16" bolt size 1/2" lg vinyl cap	6

Suggested Tools



Open Face Wrench




Socket Wrench



Tape Measure



Furniture Lei



Bolt (HW01)

Frame Bolt (HW06)

Frame Nut (HW07)

Nut (HW02)

Washer (HW03)

Bolt Cap (HW04)