


## PHlip FOLDING TABLES

Simple, one piece top flips to vertical and legs fit side by side for minimum storage area.


### FEATURES

- One piece table top is perfect for logos and designs.
- Contemporary frame design looks great in cafeteria spaces.
- Simple flipping action and locking casters makes tables easy to use, move, and store.
- Available in standard and pub height.



### FRAME

- Tables are built with a self-supporting unitized frame design, with all critical parts attached to the frame, not the table top.
- Two knob design requires both hands for safe operation of folding mechanism.
- Counterweight in frame assists lifting of tabletop to upright position.
- Frame is square tubing 1-1/4" 14 gauge HRPO steel.
- Curved footing is 1-1/2" 12 gauge HRPO steel with plastic push-in end caps.
- Base frame and tabletop are attached with



screws through an apron of 16 gauge sheet metal and 1-1/4" 14 gauge square tube.

- All pivot point hardware is permanent and tamper proof. Nylon bushings are used at all critical pivot points, with no metal-to-metal contact.
- All metal parts are thoroughly cleaned to resist corrosion and provide maximum paint adhesion, finished with high-grade electrostatically applied baked-on polyester powdercoat for superior resistance to abrasion, marring and scratching. The metal finish is a baked-on, lightly textured polyester powder coating.

### CASTERS

- 3" diameter 1" wide double locking casters with small threaded stem.
- Locking mechanism secures wheel rotation and pivot axis.
- We select casters that have abrasion resistance, good impact strength, quiet operation, and rolling ease. They are non-marking and resistant to water, oil and most acids and chemicals.



Café height tables also flip and store easily.

## MATERIALS

### Frame Finishes

- Durable powder coat finish, in our standard three options, and ten custom frame colors. See our website for non-standard colors. Minimum orders apply. Upcharge may apply.



Black (BLK)

### Tops

- Table tops are constructed of 1-1/8" (60" diameter) or 3/4" (all other sizes) industrial grade particle board of 100% recycled/recovered wood content.
- Tested in accordance with ANSI 208.1 – 2022.
- EPATSCA Title IV certified. Complies with CARB ATCM 93T20.
- 0.30" HPL decorative laminate on top side.
- 0.28" balanced black backer on bottom of table core for stability and moisture resistance.
- Custom logos are available at an upcharge.

### Laminates

Following is a general guide for our laminate options and pricing. Group 1 laminates are included in our base price.

**Group 1:** Choose your colors from Wilsonart® or Formica® laminates. See their websites for selections. For Wilsonart®, our standards are most colors in Type 335 laminate and finish type ending in -38 or -60. Exceptions apply, including colors that begin with "Y" or end with K-38 or K-60. Standard Formica® Laminates are Grade 12 or Grade 20 ending in finish type -58 and -43.

**Group 2:** Standard Pionite®, Nevamar®, and non-standard Wilsonart® laminates Type 335 and 107 Recycled Content, and finish types not ending in -38 or -60.

**Group 3:** Wilsonart® Specialty Types 136 / 137 Chalkboard Laminates, Arborite®, and premium Formica®, Pionite®, and Nevamar®.


**Group 4:** Non-Standard Premium Wilsonart® Laminate Types 362 (VDL, Y-Type), 156/336 (Markerboard), 376-HD / 366 Wilsonart® HD, and 515 Compact Laminate.

**Premium laminates** are subject to upcharge.

**PHlip tables are engineered for stability even at 42" high.**

### Edges

- **SMARTedge** – SMARTedge is a “gorilla tough” poured urethane edge that is not only rugged but 60% of the material consists of renewable bio-based resource. SMARTedge has antimicrobial additives which include antibacterial and antifungal properties.
- **SmartEdge Profiles:** Eased.



Eased

- **EdgeGuard™** – Sprayed-on polyurea edge treatment providing superior resistance to moisture, eliminates unsanitary food traps, and is extremely tamper resistant. Edges stay sealed, preventing peeling and chipping. Durable for many years of use.



EdgeGuard™

- **PVCedge** - 3mm PVCedge adhered to the particle board for a tight bond.



PVC

See our website for all edge colors.

### STORAGE FOOTPRINT

- Footprint of three 60" diameter tables is 61"L x 64"W.

### CERTIFICATIONS AND PERFORMANCE STANDARDS

- **UL Listed** – Tested by Underwriters Laboratories. These tables meet the more stringent safety standards contained in UL Standard for Safety for Folding Rollaway Tables, UL 2040.
- We have been awarded the Greenguard® and Greenguard® Gold by the Greenguard® Environmental Institute. UL GREENGUARD Certification for low chemical emission products helps demonstrate both compliance with key chemical emission standards and commitment to healthier indoor environments. Learn more about this program at: [www.ul.com/services/ul-greenguard-certification](http://www.ul.com/services/ul-greenguard-certification). UL Greenguard lists more than 150,000 UL GREENGUARD-certified products in its online product guide.



### SHIPPING

- These tables ship fully assembled

## SPECIFICATIONS

PART #	OVERALL PRODUCT DIMS (H X W X L)	FOLDED HEIGHT	PRODUCT WEIGHT (LBS)	NESTED (3 TABLES) H X W X L	SHIPPING DIMS H X W X L	SHIPPING WEIGHT (LBS)
PHLIP20-3060RD	30"x 60"x 60"	65"	144	65"x 64"x 61"	71"x 64"x 46"	195

All dimensions nominal.



**PHLIP (30" HIGH)**  
 PHLIP20-3060RD

