


FurnitureLeisure.com PoolFurnitureSupply.com
PicnicFurniture.com PicnicTableSupplier.com
ParkTables.com UBrace.com

1-800-213-2401 | sales@furniturelsiesure.com



Model # B4BY-IP

1/3/2019 Page 1 of 5



1/3/2019 Page 2 of 5

PRODUCT SPECIFICATIONS

B4BY-IP BRYCE BENCH WITHOUT BACK AND ARMREST

Seats: Seat is made from 1-1/4" x 6" lpe wood. Reinforced with 7 gauge thick support ribs. Legs are fabricated from 3/4" steel plate with 7 gauge attachement plates. Mounting plates shall be made from 7 gauge steel. All electrically MIG welded.

Coating: Steel is sandblasted to near white condition. Coated with zinc rich epoxy primer and top coated with electrostatic powder coat, oven cured. Ipe wood is sealed on each end to prevent splitting and stained with a wood finish.

Hardware: Hardware shall be stainless steel.

Dimensions: 4' portable/surface mount bench without back and armrests. Seats are 23-7/16" wide x 48" long. Seat height is 17-3/4" from the ground to the top of the seat. The overall dimensions are 49-3/4" x 23-7/16" x17-3/4"

Recommended Surface Mount Hardware: 3/8" x 3-1/2" Concrete Expansion Anchor Bolts (Not Included)

IPE Wood Care and Maintenance to be applied twice a year.


Step 1.) Wash boards with a deck cleaner or IPE cleaner.

Step 2.) After boards are dry, Lightly sand and dust off boards. Before applying stain be sure wood is dry and free of sawdust or dirt.

Step 3.) Apply a new coat of stain per manufacturer's recommendations. We recommend using Penofin® Hardwood Formula.

OVERALL DIMENSIONS


Attach the Ipe Wood Planks to the Endframes and the Attachment Plate using the specified hardware.



WARNING: Overtightening of lag bolts can cause damage to lumber.

| ITEM NO. | PartNo | DESCRIPTION | QTY |
|----------|------------|--|-----|
| 1 | 01-01-0642 | madison w/out back endframe wood-welded | 2 |
| 2 | 01-01-0643 | 5/4" x 6" x 4' long ipe bench plank | 4 |
| 3 | 01-01-0619 | madison w/out back wood attachment plate | 1 |
| 4 | 33-02-0007 | 5/16" SS Washer | 12 |
| 5 | 33-05-0067 | 5/16" x 1" lag bolt, SS | 12 |

1/3/2019 Page 4 of 5



1/3/2019 Page 5 of 5